

AMENDMENTS TO THE CLAIMS

1-42 (Canceled)

43. (Previously presented) A computer implemented method comprising:

- identifying portions of a model as being critical to a real-time execution of the model;
- identifying other portions of the model as being non-critical to the real-time execution of the model;
- generating code for real-time execution based on the critical portions of the model; and
- transmitting the generated code for execution on a target.

44. (Previously presented) The method of claim 43 wherein non-critical portions are post-processing units.

45. (Previously presented) The method of claim 44 wherein the post-processing units are logical units of the model that have no synchronized data outputs feeding non-post-processing sections of the model.

46. (Previously presented) The method of claim 43 wherein the generating further comprises:
establishing an inter-process communication link between the generated code and the non-critical portions of the model.

47. (Previously presented) The method of claim 46 further comprising:
receiving output from the generated code via the inter-process communications link.

48. (Previously presented) The method of claim 47 further comprising executing the code on a target processor associated with the target.

49. (Previously presented) The method of claim 47 further comprising:
processing the output in the non-critical portions of the model.

50. (Currently amended) ~~A computer program product residing on a computer readable medium having instructions stored thereon which, when executed by a processor, cause the processor to~~
computer-readable storage medium holding computer-executable instructions, the instructions comprising instructions for:

- identifying portions of a model as being critical to a real-time execution of the model;
- identifying other portions of the model as being non-critical to ~~a~~ the real-time execution of the model;
- generateing code that is capable of real-time execution based on the critical portions of the model; and
- transmitting the generated code for execution on a target.

51. (Previously presented) A processor and memory configured to:

- identify portions of a model as being critical to a real-time execution of the model, and other portions of the model as being non-critical to a real-time execution of the model; and
- generate code that is capable of real-time execution based on the critical portions of the model; and
- transmit the generated code for execution on a target.